

ANALIZA BIAŁEK



100003239

Laboratory of Analysis

Client: ep-company
Order number: 100003239
Name: EURO-PHARMACIES METHENOLONE ENANTHATE
Number of samples: 1 vial

Batch number: EP-2631F2
Recive date: 2023-02-28
Start date: 2023-03-17
End date: 2023-03-17

Sample identification

Substance	Method of taking a sample	Form
Methenolone Enanthate	Sample provided by customer	Transparent liquid in glass vial

Results

Substance	Sample name	Content	Purity
Methenolone Enanthate	EURO-PHARMACIES METHENOLONE ENANTHATE 100MG/ML	93.24mg/ml	-----

Research comment

The test sample was applied in the amount of 3 μ l to the BioBasic 8 Thermo Scientific column. During the course of the analysis with the method a linear gradient in the solutions of H₂O and Acetonitrile with the addition of 0.1% trifluoroacetic acid, a peak of the sought substance appeared. Its concentration, when compared to the reference chromatogram, is 93.24mg/ml. Height the measurement error is +- 1mg. The actual state of the sample sent before the test is presented on the photo below

Photo of the test sample



Password

856ERNXC


Analiza Białek sp. z o.o.
KRS: 0000966168
NIP: 8992922970
REGON: 521751875

Headquarters and Laboratory:
ul. Duńska 9, 54-427 Wrocław
Budynek DELTA

Lab technician:
Analysis and research specialist
mgr Arkadiusz Zajęc



Chromatogram



Method

Time	H2O + 0,1% TFA	ACN + 0,1% TFA
0min	60%	40%
2min	60%	40%
27min	5%	95%
30min	5%	95%

Password

856ERNXC