



ANALIZA BIAŁEK



100014684

Laboratory of Analysis

Client: EP-COMPANY
Order number: 100014684
Name: EURO-PHARMACIES.NET CLOMIXIN
Number of samples: 1 tablet

Batch number: EP1300
Recive date: 2026-05-14
Start date: 2026-05-18
End date: 2026-05-20

Sample identification

Substance	Method of taking a sample	Form
Clomiphene Citrate	Sample provided by customer	White tablets in a string bag


Results

Substance	Sample name	Content	Purity
Clomiphene Citrate	EURO-PHARMACIES.NET CLOMIXIN 50MG	56,58mg/tab	-----

Research comment

The test sample was applied in the amount of 3 μ l to the BioBasic 8 Thermo Scientific column. During the course of the analysis with the method a linear gradient in the solutions of H₂O and Acetonitrile with the addition of 0.1% trifluoroacetic acid, a peak of the sought substance appeared. Its concentration, when compared to the reference chromatogram, is 56,58mg/tab. Height the measurement error is + - 0,05mg. The actual state of the sample sent before the test is presented on the photo below

Photo of the test sample



Password

7F95H2CV


Analiza Białek sp. z o.o.
KRS: 0000966168
NIP: 8992922970
REGON: 521751875

Headquarters and Laboratory:
ul. Duńska 9, 54-427 Wrocław
Budynek DELTA

Lab technician:
Analysis and research specialist
mgr Arkadiusz Zajęc



Chromatogram



Method

Time	H2O + 0,1% TFA	ACN + 0,1% TFA
0min	95%	5%
2min	95%	5%
12min	5%	95%
15min	5%	95%

Password

7F95H2CV